

## Supplemental Information

### SURVEY

1. What is your specialty?
  - A. General pediatrics
  - B. Pediatric hospitalist
  - C. Neonatology
  - D. Family medicine
  - E. Other (please specify):
2. What is your professional training?
  - A. Doctor of Medicine
  - B. Doctor of Osteopathic Medicine
  - C. Advanced Practice Registered Nurse
  - D. Nurse Practitioner
  - E. Physician Assistant
  - F. Other (please specify):
3. What is your institution?
  - A. University of California, Davis
  - B. Yale
  - C. University of Iowa
4. In what setting do you see newborns? (please choose all that apply)
  - A. Academic newborn nursery
  - B. Community newborn nursery
  - C. NICU
  - D. Other
5. What year did you graduate from medical school?
6. What is your sex?
7. Do you feel that the national incidence of parents declining IM vitamin K is
  - A. Increasing
  - B. Staying the same
  - C. Decreasing
  - D. Unsure
8. Have you ever prescribed or recommended oral vitamin K after a parent has declined IM vitamin K for their newborn?
  - A. Yes, on 1 occasion
  - B. Yes, on >1 occasion
  - C. No
- 8a. What formulation of oral vitamin K did you prescribe or recommend?
  - A. Liquid
  - B. Tablets to be crushed
  - C. Other (please describe):
- 8b. (If you answered yes to 8a) What oral vitamin K regimen did you use?
  - A. Two to 4 mg per os (PO) vitamin K after first feeding then 2 mg at 2 to 4 weeks and again at 6 to 8 weeks
  - B. Two to 4 mg PO vitamin K after first feeding then 2 mg within first week and weekly while breastfeeding
  - C. Two milligrams PO vitamin K after first feeding then 2 mg within first week followed by 25  $\mu$ g daily for 13 weeks
  - D. Other (please describe):
- 8c. (If you answered yes to 8a) Do you have the parent sign a declination form if they have refused IM vitamin K but you have prescribed and/or recommended oral vitamin K?
  - A. Yes
  - B. No
- 8d. (If you answered yes to question 8) Why have you prescribed or recommended oral vitamin K?
- 8e. (If you answered no to question 8) Why have you not prescribed or recommended oral vitamin K?
9. Do you perform circumcisions as part of your clinical responsibilities?
  - A. Yes
  - B. No
- 9a. (If you answered yes to 9) Have you ever performed circumcision on an infant who had only received oral vitamin K and no IM vitamin K?
  - A. Yes
  - B. No
- 9b. (If you answered yes to 9) Would you perform circumcision on an infant who had only received oral vitamin K and no IM vitamin K?
  - A. Yes
  - B. No
- 9c. (If you answered yes to 9) Have you ever performed circumcision on an infant who had received neither oral vitamin K nor IM vitamin K?
  - A. Yes
  - B. No
- 9d. (If you answered yes to 9) Would you perform circumcision on an infant who had received neither oral vitamin K nor IM vitamin K?
  - A. Yes
  - B. No
10. Oral vitamin K has been shown to decrease the risk of early-onset VKDB.
  - A. True
  - B. False
  - C. I do not know
11. Oral vitamin K has been shown to normalize coagulation test results.
  - A. True
  - B. False
  - C. I do not know
12. Oral vitamin K is as effective as IM vitamin K at preventing late-onset VKDB.
  - A. True
  - B. False
  - C. I do not know
13. Please let us know if you have any other thoughts about oral vitamin K that you would like to share with us.