## **Supplemental Information**

SUPPLEMENTAL TABLE 5 Distributions of Risk Factors of Patients Categorized as High Risk by the Simple RSA but Disagreed by CE-M RSA

Risk Factor	Present	Low Risk by CE-M RSA ( $n = 23$ )	Intermediate Risk by CE-M RSA ( $n = 45$ )
Sick looking	No	23 (100%)	41 (91.1%)
	Yes	_	4 (8.9%)
Birth Wt <1500g	No	23 (100%)	45 (100%)
Maternal fever	No	19 (90.5%)	44 (97.8%)
	Yes	2 (9.5%)	1 (2.2%)
	Missing	2	_
Chorioamnionitis	No	11 (47.8%)	39 (88.6%)
	Yes	12 (52.2%)	5 (11.4%)
	Missing	_	1
Infant fever	No	23 (100%)	10 (22.2%)
	Yes	_	35 (77.8%)
Hypothermia	No	23 (100%)	38 (84.4%)
	Yes	_	7 (15.6%)
Lethargy	No	22 (95.7%)	43 (95.6%)
	Yes	1 (4.3%)	2 (4.4%)

<sup>—,</sup> not applicable.

SUPPLEMENTAL TABLE 6 Distributions of Risk Factors of Patients Categorized as Intermediate
Risk by the Simple RSA but Disagreed by CE-M RSA

Risk Factor	Present	Low Risk by CE-M $(n = 102)$
Gestational age	No	91 (89.2%)
	Yes	11 (10.8%)
PROM	No	7 (6.9%)
	Yes	95 (93.1%)
Birth wt $<$ 2500 g	No	99 (97.1%)
	Yes	3 (2.9%)
Apgar at 1 min	No	102 (100%)
Oxygen use	No	102 (100%)