



American Academy of Pediatrics' (AAP) Infantile Hemangioma (IH) Clinical Practice Guideline (CPG) Implementation Driver Diagrams

- **These driver diagrams should not be interpreted as complete or static tools.**
 - Rather, they represent initial considerations of the integration of critical concepts, actions/interventions and/or tools which are likely important in driving practice change consistent with the AAP's IH CPG.
 - A dynamic and iterative process involving all key stakeholders is required to fine tune these drivers and optimize their utility.
- **The “*Infantile Hemangioma Clinical Practice Guideline Implementation Driver Diagram*” is intended to conceptualize and facilitate overall uptake/utilization of the new IH CPG.**
 - Among many potential concepts, actions and/or tools which may drive CPG uptake, systematic quality improvement (QI) with measurement is only one key driver of overall implementation, and QI may not be the most important or widely utilized driver.
- **The remaining driver diagrams are meant to integrate with and facilitate specific QI measures if/when systematic QI with measurement is chosen by clinicians as a CPG implementation strategy.**
 - Importantly, these diagrams and specifically the “Key Drivers” and “Potential Actions/Interventions” are meant to be templates and/or starting points which will require customization to specific clinicians and their care environments.
 - Customization to the unique goals, strengths and opportunities in specific environments will assure that the drivers and actions/interventions are relevant to clinicians involved in the QI effort, and therefore, most likely to promote desired outcomes consistent with the AAP IH CPG.


Infantile Hemangioma Clinical Practice Guideline Implementation Driver Diagram




Infantile Hemangioma Standard Assessment for Risk Stratification Implementation Driver Diagram




Infantile Hemangioma Specialist Consultation for Highest/High-Risk Implementation Driver Diagram




Infantile Hemangioma Specialist Consultation with 1 week for “Highest-Risk” Implementation Driver Diagram



Infantile Hemangioma Specialist Consultation within 2 weeks for “High-Risk” Implementation Driver Diagram



Infantile Hemangioma Caregiver Education Implementation Driver Diagram



Infantile Hemangioma Oral Propranolol Therapy Caregiver Education Implementation Driver Diagram

