

# Supplemental Information

**SUPPLEMENTAL TABLE 3** Characteristics of Patients With AVB

Patient	Sex	Age, y	PMH	ICU Admission	Inotropic Support	PPV or Intubation	Maximum PR Interval	Second- or Third-Degree AVB	Day of Illness at Time of Second- or Third-Degree AVB	Maximum QTC Interval	ST Segment Changes	Tachyarrhythmias	Worst EF, %	Coronary Dilation	Highest BNP (NT-proBNP)	Highest Troponin Level(Normal <0.09), ng/mL
1	Female	9	Asthma, obesity	Yes	Yes	No	232	Yes	3	527	Yes	No	51	Yes	1407	0.03
2	Male	10	None	Yes	Yes	No	214	Yes	7	477	Yes	No	53	No	5290 (NT-proBNP)	0.01
3	Male	11	None	Yes	Yes	Yes	248	Yes	9	434	Yes	No	32	No	2145	0.07
4	Female	17	None	Yes	No	Yes	200	No	—	489	Yes	Atrial ectopy	55	No	10	0.01
5	Female	16	None	Yes	Yes	No	176	Yes	9	497	Yes	No	47	No	1046	0.01

EF, ejection fraction; NT-proBNP, N-terminal pro–brain natriuretic peptide; PMH, past medical history; PPV, positive pressure ventilation; —, not applicable.