

Supplemental Information

SUPPLEMENTAL TABLE 4 Infant Anthropometric Outcomes in the First 1000 Days, by Site

Main Outcome	Unadjusted <i>n</i> (%) or Mean (SD)	Unadjusted Mean Difference or OR (95% CI)	Adjusted ^a Mean Difference or OR (95% CI)
6-mo outcomes (<i>N</i> = 1518)			
Wt-for-length z score			
Intervention site 1	0.33 (1.03)	0.02 (−0.11 to 0.14)	−0.17 (−0.30 to −0.03)*
Intervention site 2	−0.10 (1.03)	−0.41 (−0.55 to −0.27)*	−0.41 (−0.55 to −0.27)*
Comparison sites	0.31 (1.14)	0.00 (reference)	0.00 (reference)
Wt for length ≥97.7th percentile			
Intervention site 1	25 (4.6%)	0.72 (0.43 to 1.21)	0.55 (0.31 to 0.99)*
Intervention site 2	8 (2.1%)	0.33 (0.15 to 0.71)*	0.31 (0.14 to 0.69)*
Comparison sites	37 (6.2%)	1.00 (reference)	1.00 (reference)
12-mo outcomes ^b			
Wt-for-length z score			
Intervention site 1	0.54 (1.04)	0.07 (−0.06 to 0.19)	−0.12 (−0.25 to 0.01)
Intervention site 2	0.22 (0.99)	−0.26 (−0.39 to −0.12)*	−0.27 (−0.41 to −0.12)*
Comparison sites	0.47 (1.10)	0.00 (reference)	0.00 (reference)
Wt for length ≥97.7th percentile			
Intervention site 1	46 (8.3%)	1.07 (0.70 to 1.64)	0.80 (0.50 to 1.30)
Intervention site 2	10 (2.8%)	0.34 (0.17 to 0.69)*	0.29 (0.14 to 0.61)*
Comparison sites	46 (7.8%)	1.00 (reference)	1.00 (reference)

Data are presented as mean (SD) with mean difference (95% CI) or *n* (%) with OR (95% CI).

^a All models were adjusted for birth weight, race and/or ethnicity (imputed), and public insurance.

^b*N* = 1498

* Statistical significance at the *P* = .05 level.