

## ANNOUNCEMENTS OF MEETINGS

### Meetings of the American Academy of Pediatrics

Thirty-third Annual Meeting, October 24 to 29, 1964, New York Hilton Hotel, New York City.

### Meetings and Postgraduate Courses

Most of the following items are described in more detail in the News and Announcements section of PEDIATRICS (specific issue and page indicated in parentheses).

#### 1964

##### AUGUST

SECOND AFRO-ASIAN CONGRESS OF PEDIATRICS, JAKARTA, INDONESIA, August 19-27, 1964. (See PEDIATRICS, February, p. 315.)

BRITISH ASSOCIATION OF PEDIATRIC SURGEONS. Rotterdam, The Netherlands; August 31 to September 4, 1964.

##### SEPTEMBER

TENNESSEE PEDIATRIC SOCIETY. Fall Meeting, September 13-15, 1964 at Lake Shore Lodge,

Chattanooga Tenn. (See PEDIATRICS, August, p. 297.)

AMERICAN WRITERS' ASSOCIATION. Philadelphia, September 24-27. (See PEDIATRICS, July, p. 145.)

##### OCTOBER

GRADUATE COURSE ON MEDICAL HYPNOSIS AND COURSE ON APPLIED OFFICE PSYCHIATRY. Pennsylvania Hospital, Philadelphia, October 7. (See PEDIATRICS, July, p. 145.)

CONFERENCE ON RESEARCH IN MEDICAL EDUCATION. Denver, Colorado, October 15-22. (See PEDIATRICS, February, p. 315.)

THIRD ANNUAL CONFERENCE ON RESEARCH IN MEDICAL EDUCATION. Denver, October 15-22. (See PEDIATRICS, May, p. 799.)

POISON CONTROL MEETING. New York Hilton Hotel, October 26, 1964. (See PEDIATRICS, July, p. 144.)

# DIRECTORY

AMERICAN ACADEMY OF PEDIATRICS, INC.

1801 Hinman Avenue, Evanston, Illinois 60204

## OFFICERS

*President*, Frank H. Douglass

*Vice-President (President-elect)* Harold F. Flanagan\*

\*Deceased May, 1964

## DISTRICT CHAIRMEN

	<i>Chairmen</i>	<i>Alternates</i>
District I	George W. Starbuck	Edward T. Wakeman
District II	Samuel Karelitz	Edward Townsend Jr.
District III	William S. Anderson	R. Marvel Keagy
District IV	James G. Hughes	Hugh A. Carithers
District V	Harry A. Towsley	Robert D. Mercer
District VI	George B. Logan	Noel G. Shaw
District VII	Max R. Woodward	Jack E. Strange
District VIII	Hugh C. Thompson	Scott M. Goodnight
District IX	Alfredo Eduardo Larguia	Luis Garibay Gutierrez Jorge Camacho Gamba Adalberto Steeger
District X	Russell W. Mapes	Sidney Rosin
District XI	Alvaro Aquiar	Azarias de Andrade Carvalho

## STATE, PROVINCIAL AND COUNTRY CHAIRMEN

<i>District I</i> Arnold H. Becker, Connecticut Russell A. Morissette, Maine Merritt B. Low, Massachusetts Gerald B. Shattuck, New Hampshire Herman B. Marks, Rhode Island Robert James McKay, Jr., Vermont Claude M. Leighton, New Brunswick Maureen Howell Roberts, Nova Scotia Isobel I. Wright and Remi Archambault, co-chairman, Quebec	Oscar Randolph Batson, Tennessee Paul Hogg, Virginia	Tom S. Harris, Wyoming Thomas A. Gander, Alberta Harold Krivel, British Columbia
<i>District II</i> Stewart C. Wagoner (Section 1), New York Herbert L. Elias (Section 2), New York Edward A. Hardy (Section 3), New York	<i>District V</i> Roland Edward Miller, Indiana Ruben Meyer, Michigan Charles L. Shafer, Ohio Bernard Laski and Alex M. Bryans, co-chairman, Ontario	<i>District IX</i> Argentina: Jose Maria Albores Bolivia: Carlos Daza-Meruvia Chile: Humberto Garces Colombia: Jorge Camacho Gamba Costa Rica: Carlos Sáenz Herrera Cuba: Agustin Castellanos Dominican Republic: Jaime Jorge Ecuador: Carlos Andrade Marín El Salvador: Guillermo Guillén-Alvarez Guatemala: Maria Isabel Escobar Mexico: Rogelio Hernandez Valenzuela Nicaragua: Jorge Ramiro Arcia Panama: Hermelinda Cambra de Varela Paraguay: Jorge Hamuy Peru: Orlando Orlandini T. Uruguay: Maria Luisa Saldun de Rodriguez Venezuela: Pedro J. Alvarez
<i>District III</i> Donald H. McGee, Delaware John A. Washington, District of Columbia William C. Stifler, Jr., Maryland Walter L. Mitchell, Jr., New Jersey Norman Kendall (Section 1), Pennsylvania Robert C. Beswick (Section 2), Pennsylvania Donald M. Burke, West Virginia	<i>District VI</i> Ralph H. Kunstadter, Illinois John C. McQueen, Iowa Russell A. Nelson, Kansas Albert J. Schroeder, Minnesota Gerald E. Hughes, Missouri John J. Gedgoud, Nebraska Louis B. Silverman, North Dakota Harry W. Farrell, South Dakota Thomas V. Geppert, Wisconsin George Harold Shapera, Manitoba Nathan Goluboff, Saskatchewan	<i>District X</i> William C. Deamer (Section 1), California Gordon L. Richardson (Section 2), California J. Richard Hill (Section 3), California
<i>District IV</i> Edward A. Harris, Alabama Henry G. Morton, Florida Joseph H. Patterson, Georgia Harry S. Andrews, Kentucky John F. Lynch, Jr., North Carolina Jose E. Sifontes, Puerto Rico Henry W. Moore, South Carolina	<i>District VII</i> Thomas E. Townsend, Arkansas G. J. Fruthaler, Jr., Louisiana Guy C. Jarrett, Mississippi George R. Russell, Oklahoma Dorothy Wyvell, Texas	<i>District XI</i> Fernando J. S. S. Figueira (Northern Section), Brasil Helio Sebastiao de Martino (Central Section), Brasil Osmar Pilla (Southern Section), Brasil
	<i>District VIII</i> Helen S. Whaley, Alaska Richard B. Johns, Arizona Henry B. Strenge, Colorado John C. Milnor, Hawaii Benjamin E. Katz, Idaho Roger W. Clapp, Montana Albert Chas. Merkin, Nevada David B. Post, New Mexico Maynard C. Shiffer, Oregon Spencer Snow, Utah Robert A. Tidwell, Washington	



## Cease-fire...for hot soup

It's a cease-fire that turns cowboys and Indians into allies...makes them sit down together, not for a peace pipe, but for a bowl of good hot Campbell's Soup.

Campbell's Soups will also mean a cease-fire for many of the problems mothers have with children who are finicky eaters. A child who refuses foods that mother knows are "good for him" may delight in spooning "alphabets" from Campbell's Vegetable Soup—and while he's at it put away fifteen different vegetables and more than 2400 I.U. of vitamin A in a 7 oz. serving.

Children respond to the appealing colors, textures, and tastes of Campbell's Soups. And almost all children will be quick to find favorites among Campbell's more than 30 kinds of soup, all with a variety of essential nutrients.

To catch the fancy of patients in this age group, you can recommend soups like these: Chicken Noodle with tender chicken, fine chicken broth, and enriched egg noodles; full-flavored red Tomato Soup; green Split Pea with Ham; or Vegetable Beef Soup with tender pieces of beef and nutritious garden vegetables. All these soups can be made extra nourishing by preparing them with milk.

To help you in planning diets, write today for a copy of a series of analyses of all our soups: Campbell Soup Company, Dept. 124, Camden, New Jersey.


Recommend Campbell's Soups to your patients—and enjoy them yourself. There's a soup for almost every patient and diet, for every meal.



# CHOOSE THE PRODUCT TO FIT THE NEED



a new vanishing cream base



a special low melting point base

anti-inflammatory  
bactericidal  
antipruritic  
rarely sensitizing

**CREAM—Ingredients:** Each gram contains 'Aerosporin'® brand Polymyxin B\* Sulfate 10,000 Units; Neomycin Sulfate (equivalent to 3.5 mg. Neomycin Base) 5.0 mg.; Gramicidin 0.25 mg.; Hydrocortisone Acetate 5.0 mg. (0.5%).

In a smooth, white, water-washable vanishing cream base with a pH of approximately 5.0. Inactive ingredients: liquid petrolatum, white petrolatum, propylene glycol, polyoxyethylene polyoxypropylene compound, emulsifying wax, distilled water, and 0.25% methylparaben as preservative.

*Available:* In tubes of 7.5 Grams.

**OINTMENT—Ingredients:** Each gram contains 'Aerosporin'® brand Polymyxin B\* Sulfate 5,000 Units; Zinc Bacitracin 400 Units; Neomycin Sulfate 5 mg. (equivalent to 3.5 mg. Neomycin Base); Hydrocortisone 10 mg. (1%).

In a special white petrolatum base.

*Available:* In tubes of 1/2 oz. and 1/8 oz.

\*U.S. Patent Nos. 2,565,057—2,695,261

*Indications:* Wherever inflammation or infection occurs and is accessible for topical therapy.

*Contraindications:* These drugs are contraindicated in tuberculous, fungal or viral lesions (herpes simplex, vaccinia and varicella).

*Caution:* As with other antibacterial preparations, prolonged use may result in overgrowth of nonsusceptible organisms, including fungi. Appropriate measures should be taken if this occurs.



Complete literature available on request from Professional Services Dept. PML.

**BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe, N.Y.**

*In answering advertisements please mention PEDIATRICS*



**Dennison  
Diaper Liners assure "between change"  
protection against diaper rash.**

Because they are impregnated with *Puracol*—a bacteriostatic agent which contains benzethonium chloride—Dennison Diaper Liners provide a highly effective safeguard against the outbreak of diaper rash. The reason is simple.

Unlike other baby care products which treat only the effects of diaper rash, Dennison Diaper Liners help eliminate the cause of diaper rash . . . actively prevent the growth of ammonia-forming bacteria. This means continuous protection day and night—even during prolonged "between change" periods!

Dennison "Disposable" Diaper Liners make mother's work easier, too. A fresh liner is simply inserted between the regular cloth diaper and the baby's tender skin. The soiled liner is thrown away at each change. Tell mothers about this modern baby care convenience. Send for free copies of Dennison's booklet, "Helpful Hints on Diaper Hygiene," for office distribution. Professional samples also available on request. Dennison, Dept. H-214, Framingham, Mass.



**Dennison**

DIAPER LINERS  
*Protection for baby, convenience for mother*

*In answering advertisements please mention PEDIATRICS*

**YOU CAN ACQUIRE VALUABLE BACK VOLUMES AND  
SINGLE ISSUES OF *PEDIATRICS***

A limited quantity of the issues available are listed below. Orders are subject to the exhaustion of available stock. This offer is subject to withdrawal without notice. **NOTE:** For your convenience, the same price—\$1.50 per copy—applies to all issues—no quantity discount (Effective January 1, 1954)

- |                                    |                                    |
|------------------------------------|------------------------------------|
| Vol. 2, No. 6 (1948)               | Vol. 19, No. 6 (1957)              |
| Vol. 3, Nos. 1-6 Inclusive (1949)  | Vol. 20, Nos. 3, 4, 5, 6 (1957)    |
| Vol. 6, No. 6 (1950)               | Vol. 21, Nos. 1-6 Inclusive (1958) |
| Vol. 6, Nos. 1-6 Inclusive (1950)  | Vol. 22, Nos. 1, 2, 3, 4 (1958)    |
| Vol. 7, Nos. 1-6 Inclusive (1951)  | Vol. 23, Nos. 2, 4, 5, 6 (1959)    |
| Vol. 8, No. 2, (1951)              | Vol. 24, Nos. 1, 6 (1959)          |
| Vol. 9, Nos. 3, 4, 6 (1952)        | Vol. 26, Nos. 1-6 Inclusive (1960) |
| Vol. 10 Nos. 1, 2, 3, 4 (1952)     | Vol. 27, Nos. 1-6 Inclusive (1961) |
| Vol. 13, Nos. 1, 2, 3, 5 (1954)    | Vol. 28, Nos. 1-6 Inclusive (1961) |
| Vol. 14, Nos. 1-6 Inclusive (1954) | Vol. 29, Nos. 2, 3, 4, 5, 6 (1962) |
| Vol. 15, Nos. 1, 5, 6 (1955)       | Vol. 30, Nos. 1-6 Inclusive (1962) |
| Vol. 16, Nos. 1-4 (1955)           | Vol. 31, Nos. 1-6 Inclusive (1963) |
| Vol. 18, Nos. 1, 6 (1956)          | Vol. 32, Nos. 1-6 Inclusive (1963) |
|                                    | Vol. 33, Nos. 1-6 Inclusive (1964) |

*Order Back Issues of Pediatrics from:*  
**CHARLES C THOMAS • PUBLISHER**  
**SPRINGFIELD • ILLINOIS**

**AMERICAN ACADEMY PEDIATRICS  
RESUSCITATION OF THE NEWBORN INFANT**


A 24-page booklet setting forth means for minimizing the occurrence of anoxia, for applying resuscitation. It emphasizes the things not to be done in trying to establish respiration.

Also a wall placard, summarizing the material in the booklet to be hung in scrub rooms and treatment rooms.

Each 25 cents from

The American Academy of Pediatrics  
1801 Hinman Avenue  
Evanston, Illinois 60204

**Croup: 2:00 a.m.**



**later in the morning: crisis ended**  
patient much improved

With Injection DECADRON® Phosphate (dexamethasone 21-phosphate) and moisture you may expect a rapid change in the course of this pediatric emergency. Relief of alarming symptoms may follow one dose of Injection DECADRON Phosphate... within two or three hours definite signs of clinical improvement may be noted. The prompt use of both moisture and injection DECADRON Phosphate, along with usual therapeutic measures, usually makes hospitalization unnecessary. Further acute attacks of croup may often be prevented by continued use of Injection DECADRON Phosphate for two or three additional days. Injection DECADRON Phosphate can be given rapidly and in adequate pharmacologic doses with the assurance that if therapy does not exceed three days there is no prolonged pituitary and adrenal suppression.

**SUPPLIED:** In vials of 1 and 5 cc. and disposable syringes of 2 cc. Each cc. of the 1- and 5-cc. vials contains 4 mg. dexamethasone 21-phosphate (as disodium salt); 8 mg. creatinine; 10 mg. sodium citrate; 3.2 mg. sodium bisulfite; 5 mg. phenol; sodium hydroxide to adjust pH; and water for injection q.s. ad 1 cc. The formula for the disposable syringe differs in that each cc. also contains 1.5 mg. methylparaben and 0.2 mg. propylparaben, but not the phenol.

**INDICATIONS:** Conditions responsive to adrenocortical hormone therapy.

**CONTRAINDICATIONS:** Tuberculosis — active, healed, or questionably healed — and ocular herpes simplex are usually absolute contraindications.

**PRECAUTIONS:** Observe patients closely during and after therapy. Use caution in relatively contraindicated conditions, such as acute or chronic infections, especially chickenpox; vaccinia; pregnancy; diabetes mellitus; hypertension; peptic ulcer; osteoporosis; fresh intestinal anastomoses; diverticulitis; thrombophlebitis; psychotic tendencies; renal insufficiency. If administered during pregnancy, study infants for hypoadrenalism. If administered intravenously, inject slowly, over period of 5 minutes.


**SIDE EFFECTS:** All side effects of systemic adrenocortical therapy may occur. These include relative adrenocortical insufficiency, aggravation of diabetes mellitus or of infection, protein catabolism with negative nitrogen balance, osteoporosis, activation of peptic ulcer, increased blood pressure, psychic changes, convulsions, posterior subcapsular cataracts, thrombophlebitis, edema.

**Before prescribing or administering, read product circular with package or available on request.**

 **MERCK SHARP & DOHME** | where today's theory is tomorrow's therapy  
Division of Merck & Co., Inc., West Point, Pa.

Injection Phosphate  
**Decadron**   
**dexamethasone 21-phosphate**

the stable aqueous solution for rapid corticosteroid support



Cough  
cough  
cough  
cough  
cough

**Novahistine-DH  
relieves useless,  
exhausting cough.**

A cough that's troublesome in the daytime is even more distressing at night. When a useless, exhausting cough accompanies allergic or infectious respiratory congestion, Novahistine-DH controls cough spasm and relieves the congestion.

The combination of an antihistamine and a vasoconstrictor in Novahistine-DH relieves congestion by reducing edema and shrinking mucous membranes. The minimal dosage of codeine helps control the cough spasm without suppressing the normal cough reflex.

Novahistine-DH does not impair ciliary activity or prevent the secretion of normal protective mucus

which guards against secondary infection. It should not stimulate pulse rate or cause cerebral excitement. Novahistine-DH is well suited for patients of all ages, especially children, who find its fresh grape flavor particularly agreeable.

Novahistine-DH should be used with caution in patients with severe hypertension, diabetes mellitus, hyperthyroidism or urinary retention. Ambulatory patients should be advised that Novahistine-DH may cause drowsiness.

Sample available to physicians on request. Exempt narcotic—registry number required.

Each 5 ml. teaspoonful contains phenylephrine hydrochloride 10 mg., chlorpheniramine maleate 2 mg., codeine phosphate 10 mg. (Warning: may be habit forming), chloroform (approx.) 13.5 mg., and l-menthol 1 mg. (Alcohol 5%).

**Novahistine-DH**

PITMAN-MOORE, Division of The Dow Chemical Company, Indianapolis, Indiana.



*In answering advertisements please mention PEDIATRICS*



THERE'S  
NOTHING MORE  
**GENTLE**  
THAN  
**LOWILA<sup>®</sup>**  
**CAKE**

**FOR CLEANSING DERMATITIC SKIN...AIDS HEALING**

**ECZEMAS - DERMATOSES - SENSITIVE SKIN**

Lowila Cake cleanses the skin gently, is completely soap-free and so mild its lather won't smart even a baby's eyes. Lowila's rich, creamy lather is comparable to that of fine toilet soaps. Contains no irritating alkalis, fatty acids or perfumes. See pages 996-997 PDR. Write for samples. Also available in Canada.



**WESTWOOD PHARMACEUTICALS**

**BUFFALO, NEW YORK**

*In answering advertisements please mention PEDIATRICS*

lxxvii

**AMERICAN ACADEMY OF PEDIATRICS**  
**1801 Hinman Avenue, Evanston, Illinois**  
**PUBLICATIONS FOR PHYSICIANS**

	Price per copy (Postpaid)
Accidental Poisoning in Childhood .....	\$3.00
Adoption of Children .....	\$1.00
An Introduction to American Academy of Pediatrics (also in Spanish) .....	free
Appraisal of Vitamins B1 and B12 as Supplements to Stimulate Growth and Appetite in Children .....	Single copy free
Care of Children in Hospitals (1960 Edition) .....	\$1.50
Catalog of Selected Films on Pediatrics and Child Health ....	Single copy free
Collected Reprints of Committee on Nutrition .....	\$1.00
Competitive Athletics—Report of the Committee on School Health .....	Single copy free
10 for 25¢; 100 for \$2.00	
Co-operative Kerosene Poisoning Study .....	\$ .25
Dental Caries and a Consideration of the Role of Diet in Prevention .....	Single copy free
Directory of Safety Films .....	Single copy free
Observations on the Bacteriology and Epidemiology of Nursery Infections .....	\$1.00
On the Feeding of Solid Food to Infants .....	Single copy free
Pediatrics as a Career .....	free
Recommendations on Formula Supply in the Hospital .....	Single copy free
Report of the Committee on the Control of Infectious Diseases (1964) .....	\$1.50
Resuscitation of the Newborn Infant .....	\$ .25
Resuscitation of the Newborn Infant—Wall Placard .....	\$ .25
Role of Linoleic Acid in Infant Nutrition .....	\$1.00
School Health Policies .....	\$ .25
Scurvy & Rickets in the U. S. ....	free
Selected References on Accident Prevention .....	free
Selected References on Handicapped Children .....	free
Selected References on Feeding and Nutrition (Physicians) ...	free
Selected References on School Safety .....	free
Standard Health Examination Record Card .....	Single copy free
100 for \$1.50; 500 for \$7.50; 1,000 for \$14.00	
Standards and Recommendations for Hospital Care of Newborn Infants—Full-term and Premature .....	\$1.50
Statement on the Use of Diagnostic X-ray .....	free
The Pediatrician's Role in Preventing Delinquency .....	free
The Application of Psychological & Psychometric Testing Data of Pediatric Practice .....	\$ .25

# The DeVilbiss Ultrasonic Nebulizer

creates a new dimension in Aerosol Therapy



The DeVilbiss Ultrasonic Nebulizer produces extremely fine particle aerosols for medical application by utilizing high frequency vibrational energy of approximately 1.35 megacycles. Four levels of aerosol output and density are obtainable to suit the application; approximately 0.5 cc., 2.0 cc., 4.0 cc., or 6.0 cc. of aqueous solution can be nebulized per minute.

Ultrasonic aerosols differ significantly from aerosols produced by using compressed air and other gases. The particles are more uniform, and the aerosol is of extreme density. Particles are also quite stable and remain in suspension much longer than aerosols produced by conventional methods. The use of propylene glycol to stabilize particle size is not believed necessary.

Aerosol particles are evacuated from the

production chamber of the DeVilbiss Ultrasonic Nebulizer by a small electric blower. Blower can be disconnected to allow the patient to draw out particles by his own respiration, or to utilize a carrier such as oxygen or anesthesia gas. The nebulizer unit may be safely used in open areas, or with tent or face mask. Operation is virtually noiseless.

Clinical studies are now being conducted on the use of ultrasonic aerosols in the treatment of bronchial asthma, bronchiectasis, croup, laryngotracheobronchitis and cystic fibrosis. Other uses include humidification to prevent drying effects in the trachea during post-operative care by nebulizing plain water or normal saline solution, artificial induction of cough to obtain adequate sputum specimen, and in anesthesia to humidify gases. Reports to date indicate that results obtained with ultrasonic aerosols are superior to any comparable method.

*For further clinical data, mail coupon.*

**THE DEVILBISS COMPANY  
SOMERSET, PENNSYLVANIA**

Please send me additional information on the new DeVilbiss Ultrasonic Nebulizer.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_



ATOMIZERS • VAPORIZERS • HUMIDIFIERS • NEBULIZERS • AIR COMPRESSORS

**THE DEVILBISS COMPANY, Somerset, Penn.**

*In answering advertisements please mention PEDIATRICS*

### **SPEECH AND LANGUAGE DELAY: A Home Training Program**

By **R. Ray Battin**, *Houston Ear, Nose and Throat Hospital Clinic*, and **C. Olaf Haug**, *Baylor Univ. Both of Houston, Texas*. A practical workbook that the pediatrician can recommend with confidence to parents. *Its contents are simple, direct and to the point*—with much of the material presented in outline form for easy reference. The authors explain normal speech and language development—then discuss briefly the causes of speech and language delay. They set forth a therapy program covering discipline, stimulation, motivation, ear-training, and auditory memory. *A special chapter is devoted to training problems of the hard of hearing child.*

January 1964  
\$4.50

84 pp.  
16 il.

### **GROWTH DISORDERS IN CHILDREN AND ADOLESCENTS**

By **Solomon A. Kaplan**, *Univ. of Calif., Los Angeles, Calif.* A valuable sourcebook for the pediatrician as well as for any practicing physician concerned with problems of growth in children. Covers first normal physical growth and factors known to modify rate of growth . . . *genetic and racial factors, nutrition, climate, and status at birth.* There is a detailed discussion of what is known about growth hormone. *Other subjects dealt with include* methods for physical examination, the thyroid gland, the testes, the ovaries, primordial dwarfism, intrauterine growth retardation, hypopituitarism, and constitutional delay of growth. (*Amer. Lec. Living Chemistry edited by I. Newton Kugelmass*)

June 1964  
\$8.50

224 pp.  
180 il.

**5**  
**Important**  
**New**  
**Books**  
**For**  
**Pediatricians**

### **HUMAN FOETAL AND NEONATAL CIRCULATION**

By **John Lind**, *Karolinska Institute, Stockholm, Sweden*; **Leo Stern**, *McGill Univ., Montreal, Canada*; and **Carl Wegelius**, *Wenner-Gren Research Laboratory, Stockholm*. Based largely upon radiographic and angiographic studies, this beautifully illustrated monograph is a significant contribution to present knowledge of the dramatic changes that occur at birth. *Part I* describes graphically the foetal circulation. *Part II* deals with the subsequent evolution and changes occurring with the

onset of extrauterine life. (*Amer. Lec. Pediatrics edited by John A. Anderson*)

June 1964  
\$5.75

68 pp.  
109 il.

### **OUR BLIND CHILDREN: Growing and Learning with Them (Second Edition)**

By **Berthold Lowenfeld**, *California School for the Blind, Berkeley, Calif.* "This book is professional counsel—*solid, straightforward, and wholesome* . . . one which the pediatrician may recommend with confidence to parents and which he himself may also read with profit."—*Pediatrics*

July 1964  
About \$7.00

About 232 pp.  
8 il.

### **HEALTH AND THE SCHOOL CHILD**

Compiled and edited by **Elmer W. Weber**, *Evansville-Vanderburgh School Corp., Evansville, Ind.* Twenty experts have contributed to chapters which cover every phase of the subject including food and nutrition, immunization, communicable disease control, eye health, hearing impairment and the student, and the child's dental health.

August 1964  
About \$10.25

about 478 pp.  
46 figs., 3 charts

**CHARLES C THOMAS • PUBLISHER** 301-327 East Lawrence Avenue **SPRINGFIELD • ILLINOIS**

for the months  
when growth is  
greatest, here's  
his growing-up  
formula

# SIMILAC WITH IRON<sup>®</sup>

12 mg ferrous iron per quart of feeding

"Iron deficiency is undoubtedly the most common cause of anemia in infancy." The usual diet cannot keep up with the need for iron imposed by the rapid growth rate.<sup>1</sup>

At 6 months, in the midst of their most rapid period of growth, 70% of infants' calories comes from cow milk, which contains little or no iron.<sup>2</sup>

Similac With Iron readily meets the iron needs of the months of rapid growth. In both premature<sup>3,4</sup> and term infants<sup>4</sup> its value has been clinically demonstrated. No infant who received Similac With Iron, as his sole iron source from birth through 9 months, developed any evidence of iron depletion.

*References:* 1. Githens, J. H., and Hathaway, W. E.: *Clin. Pediat.* 2:477 (Sept.) 1963. 2. Filer, L. J., Jr., and Martinez, G. A.: *Clin. Pediat.* 2:470 (Sept.) 1963. 3. Gorten, M. K., and Cross, E. R.: *J. Pediat.* 64:509, 1964. 4. Marsh, A., *et al.*: *Pediatrics* 24:404 (Sept.) 1959.



**R** ROSS LABORATORIES COLUMBUS, OHIO 43216

*In answering advertisements please mention PEDIATRICS*

IN ALL SEASONS

# A HELPING HAND

*From Physician to Patient*



FOR DRY, IRRITATED  
OR SENSITIVE SKIN

**NIVEA®**  
CREME



**NIVEA®**  
SKIN OIL

SUPERFATTED  
**BASIS® SOAP**

**DUKE**

LABORATORIES, INC.  
SOUTH NORWALK, CONN., U.S.A.

MAKERS OF ELASTOPLAST®— ORIGINAL E-L-A-S-T-I-C ADHESIVE BANDAGE AND UNIT DRESSINGS

## BANCROFT SCHOOL CAMP

9 mos. Haddonfield, N.J. 3 mos. Owl's Head, Me.

81 years of service to the mentally retarded and/or emotionally unstable child. New facilities for comprehensive program in education, evaluation and vocational training. Year 'round program. Educational, medical and psychological services. Modern speech and hearing department. Social advantages.

Clarence N. York, Ed.D., Principal  
Box 375, Haddonfield, New Jersey

*In reply to advertisers please mention that  
you saw their advertisement in*

# Pediatrics

Official Journal of the American Academy of  
Pediatrics, Inc.

CHARLES C THOMAS • PUBLISHER  
SPRINGFIELD • ILLINOIS



**Double indemnity against  
diaper rash and wet beds**

**MITEY-DRYE** washable diaper liner keeps entire body dry . . . all night long. Worn under diaper, Mitey-Drye locks wetness in diapers . . . then dries quickly every time baby wets. Prevents urine from decomposing on skin. Fast-drying action produced by harmless chemical.

**SLEEPY-DRYE** cotton-knit diaper cover lets cool air circulate . . . permitting burning ammonia to escape. Unlike hot rubber or plastic, lets baby's body breathe. Confines wetness to diapers underneath. Ends wet beds, nighties. Available at leading department and infantswear stores, or write to:

MODELLA MFG. CO., INC.                      PORT CHESTER, N.Y.



*In answering advertisements please mention PEDIATRICS*

# there

# IS



**a baby shoe as flexible as the foot it protects**

It has a unique, hand-lasted moccasin construction.  
(Soft, smooth upper leather wraps around and under the foot.)

A special process makes the leather sole unusually resilient. And the almost square front last provides width and depth at the toe.

The name of the shoe is Buntees.

We make it in a full range  
of styles for babies.

That's *all* we make.



R. J. FOTVIN SHOE CO., INC., BROCKTON, MASS. 02402

*In answering advertisements please mention PEDIATRICS*

lxxxiii

*Standards for Acceptance of Advertising in*

# Pediatrics

1. The Executive Director of the Academy considers and approves the application of firms whose advertising is submitted, taking into account the reputation and reliability of the company itself.

The Executive Director of the Academy reviews copy for advertisements relative to the quality of the products to be advertised, claims made for these products, their general usefulness and techniques of promotion.

The Editor and Editorial Board neither approve nor disapprove of the advertisements in PEDIATRICS.

2. All products which conform to the standards of the current editions of the U. S. Pharmacopoeia and the National Formulary may be accepted for publication, providing acceptable claims are made in their promotion.

Other products will be judged on their individual merits by the Executive Director of the Academy with the aid of consultants if indicated.

3. Advertising copy must state the names and amounts of active ingredients of all medicinal products.
4. When a trade name assigned by a company for a medicinal product is other than the name given in the U. S. Dispensatory, the latter title must be included in the text of the copy.

New products which are not listed in the current edition of the U. S. Dispensatory must use the exact chemical name until a title is assigned.

5. Acceptance of advertising for a product does not imply endorsement by the American Academy of Pediatrics.

*Address inquiries to:*

**CHARLES C THOMAS • PUBLISHER**  
301-327 East Lawrence Avenue • Springfield • Illinois

**applying Calmitol®  
is so much  
easier than telling  
a child not to  
scratch**



For adults, too, topical application of Calmitol provides prompt relief of itching in poison ivy, oak and sumac, heat rashes, eczema, insect bites, measles, chicken pox, pruritus ani and vulvae. Skin areas that are abraded or broken as well as sensitive areas should be treated with CALMITOL Ointment or CALMITOL Lotion only. Care should be taken to avoid contact with eyes. Available as Calmitol Ointment, 1½-oz. tubes; Calmitol Liquid, 2-oz. **NEW** Calmitol Lotion, 6-oz. bottles; bottles; and now, for greater flexibility in meeting patient needs: **NEW** Calmitol Spray, 2-oz. cans.

**Calmitol**  
for anything that itches

Thos. Leeming & Co. / **Pfizer** Division, Chas. Pfizer & Co., Inc., New York, N.Y. 10017



**EFFECTIVE**



**GENTLE**



**SAFE**

**MAZON® Ointment\* and MAZON Soap relieve psoriasis and eczematous conditions, help clear diaper rash and cradle cap, and combat infection in the skin structure.**

MAZON Ointment is antipruritic, antiseptic, inhibits trichophyton fungus. Gentle emollient and keratolytic action soothes infant skin, aids removal of dried dermal tissue crusts, promotes healing.

MAZON Soap is a pure, perfectly-balanced non-irritating formula, cleanses effectively, prepares the skin for MAZON Ointment. Also an extremely effective shampoo for relieving cradle cap and dandruff conditions.

The MAZON formula contains no steroids. Its safety and freedom from side effects has been established over 40 years by many thousands of instances of successful use. Samples sent on request.

\*Contains: Sodium Stearate, Acid Benzoic, Mercury Ammoniated (1/2 Gr. to Oz.), Acid Salicylic, Tars.

**BELMONT LABORATORIES CO., INC., PHILADELPHIA, PA.**

# PESTICIDE? POISONING!

## PROTOPAM® CHLORIDE

(PRALIDOXIME CHLORIDE) injection and tablets are now available on prescription for treatment and prophylaxis of poisoning with pesticides, chemicals and drugs having anticholinesterase activity. This drug is a specific antidote against parathion, TEPP and related agricultural chemicals.

May we suggest that you maintain a supply of PROTOPAM (pralidoxime) at hand at all times. Emergency Kit provides diluent, syringe and needle for emergency injection in field, factory or home.


No side effects have so far been reported in the clinical use of this drug. Prophylaxis is recommended, at present, only for short episodes because of incomplete information on tolerance to the drug when taken over prolonged periods. Regular orders through usual sources of supply.

IN EMERGENCIES: telephone 212 AL 4-1140.




**CAMPBELL PHARMACEUTICALS, INC.**  
121 EAST 24th ST. NEW YORK, N. Y. 10010

give...  
so more will live



**HEART FUND**

*In answering advertisements please mention PEDIATRICS*



## B.F.I.<sup>®</sup> dries up more than the tears

It helps dry the *lesion*, too. Highly absorbent, B.F.I. Powder soaks up exudate, protects the lesion, and promotes healing. Patients (even the smallest ones) appreciate the cooling, soothing effect of B.F.I. You'll like its remarkable antiseptic properties. B.F.I. is effective against both gram-negative and gram-positive organisms.




B.F.I. is indicated for cuts, scratches, abrasions and minor burns. It is also useful in relieving the itching, chafing and irritation of prickly heat, sunburn, mosquito bites and other conditions.

The ingredients in B.F.I. are: Bismuth-Formic-iodide, Zinc Phenolsulfonate, Bismuth Subgalate, Amol (mono-n-amyi hydroquinone ether), Potassium Alum, Boric Acid, Menthol, Eucalyptol, Thymol and inert diluents.

**QUINTON COMPANY, Rahway, N. J., Division of MERCK & CO., INC.**

*In answering advertisements please mention PEDIATRICS*

Extend Your Services  
With Modern Vision Testing



**Titmus Vision Tester**  
Saves Time, Space and Effort

Modern method for testing children's vision from 3½ years up. Children like the tests. Easily administered by technician. Results are reliable, valid. Beautiful Coral-sand color. Write for free brochure.



**TITMUS OPTICAL CO., INC.**  
Petersburg, Virginia 23804



## **OBSERVATION and DIAGNOSIS**

**of the MENTALLY RETARDED CHILD**

Complete study and evaluation of the retarded child in a comprehensive initial three-month resident program. Medical studies; electroencephalographic and neurological examinations; individual psychiatric, psychological, speech and hearing observations, tests and evaluations; diagnostic therapy. Cottage-plan on 1600-acre country estate. Hospital, school, chapel, private lake, swimming pools, farm. Children two years and older accepted. Regular program includes residential supervision, education and training, custodial care, summer program, psychiatric treatment center. For complete information and helpful FREE booklet, *Home Care of the Mentally Retarded Child*, write: REGISTRAR, Box W,

## **THE TRAINING SCHOOL**

ESTABLISHED 1888

**at VINELAND, NEW JERSEY**

## **AMERICAN ACADEMY OF PEDIATRICS**

### **33RD ANNUAL MEETING**

**October 24-29, 1964**

**NEW YORK HILTON HOTEL  
NEW YORK CITY**

Symposia, panels, seminars,  
round tables, films, scientific and  
technical exhibits on many  
phases of pediatrics.

Annual business meeting, with  
installation of new president.

Section meetings.

Alumni meetings, receptions.

For advance registration forms  
and further information,  
write to:

E. H. Christopherson, M.D.,

*Executive Director*

American Academy of Pediatrics

1801 Hinman Avenue

Evanston, Illinois 60204

*In answering advertisements please mention PEDIATRICS*



**ESSENTIAL  
FOR THE  
DISTRESSED  
NEWBORN . . .**

**OHIO**  
*Kreiselman*  
**INFANT RESUSCITATOR**

**Manual Control**—Permits intermittent positive pressure administration of oxygen. For suggestions as to use, refer to "Resuscitation of the Newborn infant" (American Academy of Pediatrics Manual).

**Unique Design**—Provides for endotracheal intubation during prolonged ventilation of infants with asphyxia.

**Temperature Maintenance**—Explosion-proof electric heater accurately maintains desired temperature of the unit.

**Breathing Pressure Requirement**—Readily adjustable through range of approximately 3 to 33 mm. Hg.

**Easy Drainage**—Infant's head easily positioned to place trachea in line with pharynx and mouth.

**Fast Aspiration**—Explosion-proof electric suction pump quickly aspirates all secretions. Also available with gas-operated aspirator or for use with centrally-piped vacuum system.

**Exchange Transfusion**—Bassinet resuscitator can also be used as heated carrier for infants.

Ask your nearby authorized Ohio dealer for Catalog 2466-A, or write Ohio Chemical (a division of Air Reduction Company, Inc.), Madison, Wisconsin 53703, Dept. P-8.



**UL** **SF**  
Explosion-proof — Listed  
by UL and CSA for use in  
anesthetizing locations.

**OHIO**  
*Ohio Chemical*

*In answering advertisements please mention PEDIATRICS*

Just out:

*Postgraduate Courses in Pediatrics*

Vol. 11-12

Edited by E. ROSSI, Bern

# BLUTKRANKHEITEN IM KINDESALTER

II + 158 p., 41 fig., 25 tab., 1964. sFr./DM 24.—

## *Index*

- BERNARD, J., Paris: Les leucémies de l'enfant  
GASSER, C., Zürich: Lymphozytose und Lymphopenie im Kindesalter  
BETKE, K., Tübingen: Stoffwechselstörungen der Erythrozyten  
WEICKER, H., Bonn: Die Entstehung des roten Blutkörperchens als Grundlage einer Einteilung der Anämien  
JEANNET, M., Berne: Mécanismes de l'hémolyse  
BUCHER, U., Bern: Aplastische Anämien  
TÖNZ, O., Bern: Strukturelle Defekte des menschlichen Blutfarbstoffes  
LÜSCHER, E. F., Bern: Die Funktion der Blutplättchen  
GUGLER, E., Bern: Die kindlichen Thrombozytopenien

Please ask for details of volumes 1-10 of this series

---

## ORDER FORM

*S. Karger AG, Arnold-Böcklin-Strasse 25, Basel, Switzerland*

Please send me: ..... Copy(ies) Postgraduate Courses in Pediatrics Vol. 11-12 ....

Name: .....

Address: .....

---


Please place your order with:

*Albert J. Phiebig, P.O. Box 352, White Plains, N.Y.*

*In answering advertisements please mention PEDIATRICS*

For pigeon toe,  
metatarsus varus and  
corrected club feet...

**TARSO<sup>®</sup>**  
**PRONATOR<sup>®</sup>**  
**SHOES** by **MARKELL**



**PROVIDE SAFE, COMFORTABLE FOREFOOT ABDUCTION**

Normal looking Tarso Pronator boots or oxfords control internal rotation of the feet. Treatment of varus deformities is continuously maintained.

The forepart of the Tarso Pronator is flared outward, and wedged on the outer border. It swings the forefoot gently outward — "pronating" the foot for purposes of correction. There is no discomfort because the Tarso Pronator is actually shaped like the abducted foot.

Tarso Pronators are supplied singly, in pairs, or split pairs. Matching straight last Tarso Medius shoes are available for unilateral cases. Tarso Pronator pre-walkers have Splint Adaptor sockets and screws for instant splint attachment.

Tarso<sup>®</sup> Shoes by Markell are in-stock. They are available on prescription from fine shoe stores throughout the United States and Canada.

Write for Illustrated Catalog and name of nearest dealer.

**MARKELL SHOE COMPANY, INC.**  
504. Saw Mill River Road, Yonkers, N.Y.

**New 4th (1964) EDITION**

# **Thienes and Haley— CLINICAL TOXICOLOGY**

**READY SOON!**

By **CLINTON H. THIENES, M.D., Ph.D.**

Emeritus Adjunct Professor of Pharmacology and Toxicology,  
School of Medicine, University of Southern California

and **THOMAS J. HALEY, Ph.D.**

Associate Clinical Professor of Medicine (Industrial Medicine),  
School of Medicine, University of California, Los Angeles

**Symptoms • Diagnosis • Treatment • Analytical Procedures**

A long-accepted guide to the deleterious effects of chemical agents and to their prompt identification. Includes discussions on virtually every poison which might be encountered in practice.

Gives toxic dose, chemical nature, course through the body, symptoms, development of intoxication, pathological changes, methods of eliminating the poison and ways to combat its effect while in the body.

### **New 4th Edition**

Features of the new 4th (1964) edition include latest data on tranquilizers, heavy metal poisoning, insecticides, barbiturates, poisonous mushrooms, salicylates, quinine substitutes, anticonvulsants, new microscopic tests for identification of drugs, new analytical proceedings of heavy metals, borates and iodides.

All of the text has been revised or rewritten to include the many recent advances in the field of toxicology. This is the only one volume work in the English language which gives such extensive coverage of the clinical aspects of toxicology, together with chemical analytical procedures for most poisons.

"Highly recommended to students, general practitioners, toxicologists, public health officers, pharmacists and chemical manufacturers."—*Amer. J. of Clin. Pathology.*

**New 4th Edition. About 650 pages, 5 1/4" x 7 3/4". Illustrated. Ready in August.**

**LEA & FEBIGER**

**Washington Square  
Philadelphia, Pa. 19106**

Please enter my order and send me:

**Thienes and Haley—Clinical Toxicology. Ready in August.**

Bill me at  30,  60,  90 days.  Charge on monthly payment plan.


NAME (print) .....

ADDRESS .....

CITY ..... STATE ..... ZIP NO. ....

Ped. 8-64

*In answering advertisements please mention PEDIATRICS*



## The Hands You Never See...


will select shoes to start your young patients on the right -  
or wrong - path for walking.

That's why your Child Life shoe fitter is important. He will correctly fit the youngster for his big step in life.

Your patient will get a good start in Child Life's First Steppers. Sturdy support, Quality shoes, Accurately fitted.

You can count on these hands you never see — the skilled hands of the Child Life shoe fitter — to fill corrective prescriptions to exacting standards, too.

Arch Feature, Straight last, Surgical boots, Mismates, Regular shoes.



### MERIT YOUR PROFESSIONAL RECOMMENDATION

HERBST SHOE MANUFACTURING COMPANY Box 2005 Milwaukee 1, Wisconsin

*In answering advertisements please mention PEDIATRICS*

# INDEX TO ADVERTISERS

Alcon Laboratories (Alcon-Efrin) .....	i	Markell Shoe Company (Tarso Pronator) .....	xc
Ames Company, Inc. (Dextrostix) .....	xx	Mead Johnson Laboratories (Sobee) .....	xxii, xxiii
Ames Company, Inc. (Phenistix/Pheniplate) .....	xxxvi	Merck Sharp & Dohme (Mephyton/Aqua Mephy- ton) .....	xxx
Ames Company, Inc. (Aminet) .....	lvi	Merck Sharp & Dohme (Rubeovax-Gammagec) ..	xliv, xlv
Ayerst Laboratories (Auralgan) .....	xxvi	Merck Sharp & Dohme (Injection Decadron Phos- phate) .....	lxxv
Bancroft School (Special Education) .....	lxxxii	Modella Mfg. Co. (Mitey-Drye & Sleepy-Drye) .....	lxxxii
Bayer Company, The (Children's Aspirin) .....	xvii	Ohio Chemical & Surgical Equipment Co. (Kreisel- man Infant Resuscitator) .....	lxxxix
Belmont Laboratories (Mazon Ointment/Soap) ..	lxxxvi	Parke-Davis (Benadryl) .....	xxxv
Biochemical Procedures, Inc. (Guthrie Test) .....	xxxiii	Parke-Davis (ABDEC Drops With Fluoride) .....	xlvii
Borcherdt Company (Maltsupex) .....	i	Parke-Davis (Paladac) .....	lvii
Borden Company, The (Bremil) .....	xxix	Pfizer Laboratories (Terra-Cortril) .....	xxiv, xxv
Borden Company, The (Methakote) .....	xxxix	Pfizer Laboratories (Signemycin) .....	xl, xli
Borden Company, The (Mull-Soy) ..	Fourth Cover	Pfizer Laboratories (Terramycin) .....	lii, liii
Burroughs Wellcome & Co. (U.S.A.) (Mantadil Cream) .....	xxxiv	Pfizer Laboratories (Vistaril) .....	lxvi, lxvii
Burroughs Wellcome & Co. (U.S.A.) (Cortisporin) .....	lxxxii	Pitman-Moore Company (Novahistine-Melet) .....	xxxiii
Campbell Pharmaceuticals, Inc. (Protopam Chloride) .....	lxxxvi	Pitman-Moore Company (Novahistine-DH) ..	lxxvi
Campbell Soup Company (Soups) .....	lxxi	Plough, Inc. (Mexasna Medicated Powder) .....	Second Cover
Dennison Mfg. Co. (Diaper Liners) .....	lxxxiii	Potvin, R. J., Shoe Company (Baby Shoes) ..	lxxxiii
DeVilbiss Company, The (Nebulizers) .....	lxxxix	Procter & Gamble Company (Ivory Snow) .....	ix
Diaparene Products (Division of Brecon Labora- tories) (Baby Care Aids) .....	xiv, xv	Quinton Company (B.F.I.) .....	lxxxvii
Dome Chemicals (Cort-Dome) .....	vii	Roerig, J. B., Company (Viterra) .....	xxvii, xxviii
Dorsey Laboratories (Asbron) .....	x, xi	Roerig, J. B., Company (Marax) .....	xlviii, xlix
Duke Laboratories (Nivea Creme/Skin Oil/Soap) .....	lxxxii	Roerig, J. B., Company (Atarax) .....	lxii, lxiii
Eaton Laboratories (Furadantin) .....	xviii, xix	Ross Laboratories (Similac With Iron) .....	lxxxix
Eaton Laboratories (Furoxone) .....	li	Schering Corporation (Clestone Syrup) ..	lviii, lix
Eaton Laboratories (Furacin Solution) .....	lxv	Stuart Company, The (Division of Atlas Chemical Industries, Inc.) (Mulvidren F) .....	xxxviii
Fuller Pharmaceutical Company (Therapads) ..	xcv	Thomas, Charles C., Publisher (Medical Books) ..	lxiv, lxxx
Gerber Products Company (Modilac) .....	xxi	Titmus Optical (Optical Service) .....	lxxxviii
Herbst Shoe Manufacturing Company (Child Life Shoes) .....	xciii	Training School at Vineland, The (Specialized Education) .....	lxxxvii
Hoyt Pharmaceutical Corp. (Fundal-Vita (F)) ..	v	United Fruit Company (Bananas) .....	vi
Instrumentation Laboratories, Inc. (Flame Pho- tometer) .....	xlvi	Upjohn Company, The (Adeflor) .....	xii, xiii
Karger, S., AG (Medical Publications) .....	xc	U. S. Vitamin & Pharmaceutical Corp. (Vi-Syneral Drops) .....	xlxi
Kinney & Company (Emetrol) .....	liv	Warner-Chilcott Laboratories (Biomydrin) ..	xvi
Knickerbocker Biologics (Division of Chas. Pfizer & Co., Inc.) (Uroscreen) .....	lx, lxi	Warner-Chilcott Laboratories (Fedral) .....	xxxix
Lea & Febiger (Medical Books) .....	xcii	Webster, William A., Company (Rectal Sup- pretes) .....	Third Cover
Leeming, Thos. & Company (Desitin Ointment) .....	xxxvii	Wee Walker Shoes (Childrens Shoes) .....	xcvi
Leeming, Thos. & Company (Calmitol) .....	lxxxv	Westwood Pharmaceuticals (Fostex) .....	xlxi
Lilly, Eli & Company (V-Cillin K Pediatric) ..	lxxviii	Westwood Pharmaceuticals (Lowila Cake) ..	lxxvii
		Winthrop Laboratories (Isuprel Elixir) .....	lv

**We try to present an accurate index. Occasionally this may not  
be possible because of a last-minute change or an omission.**

In acne control, cleanliness is half the battle



**Therapads** *therapeutically cleanse the skin when washing is inconvenient*—You will be pleased with THERAPADS because they are an effective aid in acne control. Each soft, cotton flannel pad is impregnated with a solution of 1½% Salicylic Acid and 50% Ethyl Alcohol to remove excess sebaceous film from the skin and exert a mild drying, astringent and keratolytic effect.

Your patients will like THERAPADS because they are inexpensive, simple, and convenient. No messy application, no greasy smears, no cover-up of lesions. A day's supply fits into an attractive plastic case which slips easily into purse or pocket. Skin cleansing is simple and quick at work or school.



**PHARMACEUTICAL COMPANY**  
Minneapolis 16, Minnesota  
In Canada: Winley-Morris Co., Montreal

**THERAPADS for daytime skin care in acne**—Perfect companion to medications you may prescribe for use at night. At busy prescription pharmacies in jars of 40 and 100 with carrying case.

*In answering advertisements please mention PEDIATRICS*



## When Doctors Talk Wee Walker Listens

Your comments, suggestions and ideas have had great influence on the construction of Wee Walker Shoes for the 42 years of their history.

Doctors' opinions are the source of our original construction features. Heel-hugging, toe-free fit and smooth inner construction are still basic requirements in every pair of infants' and toddlers' shoes Wee Walker produces.

When many of you indicated preference toward low-top training shoes, Wee Walker introduced "ankle-action" trainers to meet your requirements.

Wee Walker was first to offer direct injection moulded soles for infants because you consider flexibility so important.

That's why Wee Walker is always rep-

resented at your conventions — always pays careful attention to correspondence from you and is eager to have you inspect our shoes at all times.

For a free sample pair, just jot us a note on your prescription stationery indicating size desired. We'll look forward to your comments as always!




Carlyle, Illinois


a division of Moran Shoe Company



# "THE THIRD METHOD"



**1. ORALLY**



**2. HYPODERMICALLY**



**3. RECTALLY, by SUPPRETTES**

*(Webster's water soluble suppository)*

FOR COMPLETE ABSORPTION,  
ACCURATE DOSAGE CONTROL

For drug products now available in Suppette form (Neocera base)  
see 1964 PDR pp 994, 995, 996.

**THE WILLIAM A. WEBSTER COMPANY**

Memphis 3, Tennessee

Leaders in the "Third Method" of Drug Administration

**WEBSTER**

