

## References

1. Schechter NL. The undertreatment of pain in children: an overview. *Pediatr Clin North Am.* 1989;36:781-794
2. Rana SR. Pain: A subject ignored. *Pediatrics.* 1987;79:309-310. Letter to the Editor
3. Stjernsward J. Cancer pain relief: an important global health issue. *Clin J Pain.* 1985;1:95-97
4. Fitzgerald M, Shaw A, MacIntosh N. Postnatal development of the cutaneous flexor reflex: Comparative study of preterm infants and newborn rat pups. *Dev Med Child Neurol.* 1988;30:520-526
5. Beyer J, Wells N. Assessment of pain in children. *Pediatr Clin North Am.* 1989;36:837-854
6. McGrath PJ, Unruh A. *Pain in Children and Adolescents.* Amsterdam: Elsevier; 1987
7. McGrath PA. An assessment of children's pain: a review of behavioral, physiological and direct scaling techniques. *Pain.* 1987;31:147-176
8. Ross DM, Ross SA. *Childhood Pain: Current Issues, Research, and Management.* Baltimore: Urban & Schwarzenberg, 1988
9. Mohide EA, Royle JA, Montemuro M, Porterfield P, Scott JF, Tugwell PX. Assessing the quality of cancer pain management. *J Palliative Care.* 1988;4:9-15
10. Miser AW, Dothage JA, Wesley RA, et al. The prevalence of pain in a pediatric and young adult cancer population. *Pain.* 1987;29:73-83
11. Jaffee JH. Drug addiction and drug abuse. In: Goodman LS, Gilman A, Rell TW, et al, eds. *The Pharmacologic Basis of Therapeutics.* New York: Macmillan; 1985
12. American Academy of Pediatrics, Committee on Drugs, Section on Anesthesiology. Guidelines for the elective use of conscious sedation deep sedation, and general anesthesia in pediatric patients. *Pediatrics.* 1985;76:317-321
- Brewer EJ, Arrovo I. Use of nonsteroidal anti-inflammatory drugs in children. *Pediatr Ann.* 1986;15:575-581
- Forrest W, Brown B, Brown C, et al. Dextroamphetamine with morphine for treatment of postoperative pain. *N Engl J Med.* 1977;296:712
- Fosburg MT, Crone RK. Nitrous oxide for refractory pain in the terminally ill. *JAMA.* 1983;250:513-522
- Gauvain-Piquard A, Rodary C, Rezvani A, Lemerle A. Pain in children 2-6 years: a new observational rating scale elaborated in a pediatric oncology unit-preliminary report. *Pain.* 1987;31:177-188
- Homesley HD, Welander CE, Muss HB, et al. Dosage range study of morphine sulfate controlled-release. *Am J Clin Oncol.* 1986;9:449-453
- Krames ES, Gershow J, Glassberg A, et al. Continuous infusion of spinally administered narcotics for the relief of pain due to malignant disorders. *Cancer.* 1985;56:696-702
- Max MB, Culnane M, Schafter SC, et al. Amitriptyline relieves diabetic neuropathy in patients with normal or depressed mood. *Neurology.* 1987;37:589-596
- Miser AW, Miser JS, Clark BS. Continuous intravenous infusion of morphine sulfate for control of severe pain in children with terminal malignancy. *J Pediatr.* 1980;96:930-932
- Miser AW, Davis DM, Hughes CS, et al. Continuous subcutaneous infusion of morphine in children with cancer. *Am J Dis Child.* 1983;137:383-385
- Miser AW, Miser JS. The treatment of cancer pain in children. *Pediatr Clin North Am.* 1989;36:979-1000
- Shannon M, Berde CB. Pharmacologic management of pain in children and adolescents. *Pediatr Clin North Am.* 1989;36:855-872
- Schechter NL. Pain in children with cancer. In: Foley KM, ed. *Advances in Pain Research and Therapy.* New York: Raven Press, Ltd; 1990;16:57-71
- Yaster M, Deshpande JK. Management of pediatric pain with opioid analgesics. *J Pediatr.* 1988;113:421-429
- Zeltzer L, LeBaron S. The hypnotic treatment of children in pain. *Adv Dev Behav Pediatr.* 1986;7:197-234
- Zeltzer L, Jay S, Fisher DM. The management of pain associated with pediatric procedures. *Pediatr Clin. North Am.* 1989;36:941-964

## Suggested Reading

- Berde CB, Fischel N, Filardi JP, Coe CS, Grier HE, Bernstein SC. Caudal epidural morphine analgesia for an infant with advanced neuroblastoma: report of a case. *Pain.* 1989;36:219-223